

ARKOS – SLIMGOT 150

ELV - 120V

CONTRASTE**DIMMING INFORMATION**

- Dimmers used: ELV only
- Audible noise: None
- Number of units tested: 1 to 10

Company	Models	Codes	Types	Minimum luminaire (per circuit)	Dimming Performances		
					Programmable	* Dimming Range	** Optimal Performance
LUTRON DISCONTINUED	DIVA	DVELV-300P	ELV	1	NA	6% - 100%	20% - 100%
	NOVA T	NTELV-600	ELV	1	NA	10% - 100%	17% - 100%
	GRAFIK T	GTJ-5NEM-WH	ELV	1	YES	9% - 100%	29% - 100%
	SPACER SYSTEM	SPSELV-600	ELV	1	NA	10% - 100%	22% - 100%
LEVITON	DECORA	IPE04-LAW	ELV	1	YES	3% - 100%	16% - 100%
	RENOIR II	AWSMT-EAW	ELV	1	NA	0% - 100%	20% - 100%
	RENOIR II	AWSMG-EB	ELV	1	NA	0% - 100%	20% - 100%
	VIZIA	IPE04-1LZ	ELV	1	YES	22% - 100%	22% - 100%
	DECORA	6615-P	ELV	1	YES	10% - 100%	20% - 100%
	VISIA RF +	VRE06-1LZ	ELV	1	YES	10% - 100%	17% - 100%
COOPER	SKEY AL	SAL06P	ELV	1	YES	8% - 100%	18% - 100%
	ASPIRE RF	RF9540-NDW	ELV	1	YES	14% - 100%	26% - 100%

* Full Dimming Range

** Optimal Performance: Dimming range for ideal synchronized startup conditions

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE