

# Odyssey

Project \_\_\_\_\_


Notes \_\_\_\_\_

Fixture Type \_\_\_\_\_

Date \_\_\_\_\_



## WHIRL



LED whirl shaped luminaire in extruded aluminium 6063-T52 with Satinice acrylic diffuser.




### LIGHT DIRECTION




### DIMENSIONS

Three choices of light distribution orientation.  
Optimal transmission and diffusion by using Satinice acrylic.

Extruded aluminum 6063-T52.



**D** (Down)



(1 in x 1 in)

### DIAMETER

Diameters 36 inches per 32 inches.

**1010:** 7W per linear foot

<b>1010</b>	
<b>36</b>	36 inches x 32 inches (66W)

## COLOR TEMPERATURES

Four color temperature choices for a high quality atmosphere that exceeds your expectations.

CRI of 90+ with each color temperatures.

**2790:** 2700K  
**3090:** 3000K  
**3590:** 3500K  
**4090:** 4000K

2700K

3000K

3500K

4000K

### 3000K DATA

Light Direction	7W / linear foot
D (Down)	200 lm / ft

## FINISHES

Powder coating.  
 10 impeccable finishes available:



**MW**  
Matte White



**MB**  
Matte Black



**CR**  
Chrome



**SV**  
Sliver



**CA**  
Charcoal



**PG**  
Pearl Gold



**FB**  
Fawn  
Brown



**TB**  
Turquoise  
Blue



**SR**  
Sparkle  
Red



**SB**  
Sparkle  
Black

Also available with RAL painted colors ([www.ralcolor.com](http://www.ralcolor.com)) and much more.  
 If you want a particular colour, contact us.


## ORDERING CODES

FAMILY	LIGHT DIRECTIONS	DIMENSION	DIAMETER	COLOR TEMPERATURES AND CRI	FINISHES
<b>W</b>					
<b>W</b> Whirl	<b>D</b> Down	<b>1010</b> 1 in x 1 in	<b>36</b> 36 in x 32 in (66W)	<b>2790</b> 2700K (90+ of CRI) <b>3090</b> 3000K (90+ of CRI) <b>3590</b> 3500K (90+ of CRI) <b>4090</b> 4000K (90+ of CRI)	<b>MW</b> Matte White <b>MB</b> Matte Black <b>CR</b> Chrome <b>SV</b> Silver <b>CA</b> Charcoal <b>PG</b> Pearl Gold <b>FB</b> Fawn Brown <b>TB</b> Turquoise Blue <b>SR</b> Sparkle Red <b>SB</b> Sparkle Black <b>CC</b> Custom Color RAL and much more
		<b>XXXX</b> Custom	<b>XX</b> Custom		

## SUSPENSION SYSTEM

### OPTION A

Steel cables fixed directly in the ceiling.  
Driver located inside the canopy.




### ORDERING CODES

SYSTÈME	SHAPE	DIMENSIONS	CABLES	DIMMING	FINISHES
<b>A</b>	<b>C</b>			<b>D0</b>	
<b>A</b>	<b>C</b> Circle	<b>D109</b> ø 9 in <b>D114</b> ø 14 in <b>XXXX</b> Custom	<b>WH</b> White <b>BK</b> Black <b>GP</b> Platinum Gray	<b>D0</b> 0-10V	<b>MW</b> Matte White <b>MB</b> Matte Black <b>CR</b> Chrome <b>SV</b> Silver <b>CA</b> Charcoal <b>PG</b> Pearl Gold <b>FB</b> Fawn Brown <b>TB</b> Turquoise Blue <b>SR</b> Sparkle Red <b>SB</b> Sparkle Black <b>CC</b> Custom Color RAL and much more

### OPTION B

Steel cables fixed directly to the center of the canopy.  
Driver located inside the canopy.




### ORDERING CODES

SYSTEM	SHAPE	DIMENSIONS	CABLES	DIMMING	FINISHES
<b>B</b>	<b>C</b>			<b>D0</b>	
<b>B</b>	<b>C</b> Circle	<b>D109</b> ø 9 in <b>D114</b> ø 14 in <b>XXXX</b> Custom	<b>WH</b> White <b>BK</b> Black <b>GP</b> Platinum Gray	<b>D0</b> 0-10V	<b>MW</b> Matte White <b>MB</b> Matte Black <b>CR</b> Chrome <b>SV</b> Silver <b>CA</b> Charcoal <b>PG</b> Pearl Gold <b>FB</b> Fawn Brown <b>TB</b> Turquoise Blue <b>SR</b> Sparkle Red <b>SB</b> Sparkle Black <b>CC</b> Custom Color RAL and much more

SUSPENSION SYSTEM (CONTINUED)

**OPTION C**

Steel cables fixed directly in the ceiling.  
Decorative plate. Driver located inside the ceiling.



ORDERING CODES

SYSTEM	DIMENSION	CABLES	DIMMING	FINISHES
<b>C</b>	<b>1010</b>		<b>D0</b>	
<b>C</b>	<b>1010</b> 10 in x 10 in	<b>WH</b> White	<b>D0</b> 0-10V	<b>MW</b> Matte White
	<b>1016</b> 10 in x 16 in	<b>BK</b> Black		<b>MB</b> Matte Black
	<b>For custom models</b>	<b>GP</b> Platinum Gray		<b>CR</b> Chrome
				<b>SV</b> Silver
				<b>CA</b> Charcoal
				<b>PG</b> Pearl Gold
				<b>FB</b> Fawn Brown
				<b>TB</b> Turquoise Blue
				<b>SR</b> Sparkle Red
				<b>SB</b> Sparkle Black
				<b>CC</b> Custom Color RAL and much more